

# Cancellous screw

## angle-stable; stainless steel



Item no. 2.147.20



Item no. 2.163.45

Item no.	Item description	EAN
<b>Cancellous screw Ø 4.0 mm; angle-stable; stainless steel</b>		
2.147.16	Cancellous screw with conical head thread; Ø 4.0 x 16 mm; fully threaded; self tapping; stainless steel	4 047075 130023
2.147.18	Cancellous screw with conical head thread; Ø 4.0 x 18 mm; fully threaded; self tapping; stainless steel	4 047075 130030
2.147.20	Cancellous screw with conical head thread; Ø 4.0 x 20 mm; fully threaded; self tapping; stainless steel	4 047075 130047
2.147.22	Cancellous screw with conical head thread; Ø 4.0 x 22 mm; fully threaded; self tapping; stainless steel	4 047075 130054
2.147.24	Cancellous screw with conical head thread; Ø 4.0 x 24 mm; fully threaded; self tapping; stainless steel	4 047075 120581
2.147.26	Cancellous screw with conical head thread; Ø 4.0 x 26 mm; fully threaded; self tapping; stainless steel	4 047075 120598
2.147.28	Cancellous screw with conical head thread; Ø 4.0 x 28 mm; fully threaded; self tapping; stainless steel	4 047075 120604
2.147.30	Cancellous screw with conical head thread; Ø 4.0 x 30 mm; fully threaded; self tapping; stainless steel	4 047075 120611
2.147.32	Cancellous screw with conical head thread; Ø 4.0 x 32 mm; fully threaded; self tapping; stainless steel	4 047075 120628
2.147.34	Cancellous screw with conical head thread; Ø 4.0 x 34 mm; fully threaded; self tapping; stainless steel	4 047075 060634
2.147.35	Cancellous screw with conical head thread; Ø 4.0 x 35 mm; fully threaded; self tapping; stainless steel	4 047075 126033
2.147.36	Cancellous screw with conical head thread; Ø 4.0 x 36 mm; fully threaded; self tapping; stainless steel	4 047075 060450
2.147.38	Cancellous screw with conical head thread; Ø 4.0 x 38 mm; fully threaded; self tapping; stainless steel	4 047075 060467
2.147.40	Cancellous screw with conical head thread; Ø 4.0 x 40 mm; fully threaded; self tapping; stainless steel	4 047075 060658
2.147.42	Cancellous screw with conical head thread; Ø 4.0 x 42 mm; fully threaded; self tapping; stainless steel	4 047075 060665
2.147.44	Cancellous screw with conical head thread; Ø 4.0 x 44 mm; fully threaded; self tapping; stainless steel	4 047075 060511
2.147.45	Cancellous screw with conical head thread; Ø 4.0 x 45 mm; fully threaded; self tapping; stainless steel	4 047075 114016

# Cancellous screw

## angle-stable; stainless steel



Item no. 2.147.20



Item no. 2.163.45

Item no.	Item description	EAN
<b>Cancellous screw Ø 4.0 mm; angle-stable; stainless steel</b>		
2.147.46	Cancellous screw with conical head thread; Ø 4.0 x 46 mm; fully threaded; self tapping; stainless steel	4 047075 060528
2.147.48	Cancellous screw with conical head thread; Ø 4.0 x 48 mm; fully threaded; self tapping; stainless steel	4 047075 060535
2.147.50	Cancellous screw with conical head thread; Ø 4.0 x 50 mm; fully threaded; self tapping; stainless steel	4 047075 060542
2.147.52	Cancellous screw with conical head thread; Ø 4.0 x 52 mm; fully threaded; self tapping; stainless steel	4 047075 060537
2.147.54	Cancellous screw with conical head thread; Ø 4.0 x 54 mm; fully threaded; self tapping; stainless steel	4 047075 060544
2.147.55	Cancellous screw with conical head thread; Ø 4.0 x 55 mm; fully threaded; self tapping; stainless steel	4 047075 114023
2.147.56	Cancellous screw with conical head thread; Ø 4.0 x 56 mm; fully threaded; self tapping; stainless steel	4 047075 060566
2.147.60	Cancellous screw with conical head thread; Ø 4.0 x 60 mm; fully threaded; self tapping; stainless steel	4 047075 110964
2.147.65	Cancellous screw with conical head thread; Ø 4.0 x 65 mm; fully threaded; self tapping; stainless steel	4 047075 110971
2.147.70	Cancellous screw with conical head thread; Ø 4.0 x 70 mm; fully threaded; self tapping; stainless steel	4 047075 110988
2.147.75	Cancellous screw with conical head thread; Ø 4.0 x 75 mm; fully threaded; self tapping; stainless steel	4 047075 110995
2.147.80	Cancellous screw with conical head thread; Ø 4.0 x 80 mm; fully threaded; self tapping; stainless steel	4 047075 111008
2.147.85	Cancellous screw with conical head thread; Ø 4.0 x 85 mm; fully threaded; self tapping; stainless steel	4 047075 111015
2.147.90	Cancellous screw with conical head thread; Ø 4.0 x 90 mm; fully threaded; self tapping; stainless steel	4 047075 111022
2.147.95	Cancellous screw with conical head thread; Ø 4.0 x 95 mm; fully threaded; self tapping; stainless steel	4 047075 111039

# Cancellous screw

## angle-stable; stainless steel



Item no. 2.147.20



Item no. 2.163.45

Item no.	Item description	EAN
<b>Cancellous screw; Ø 6.0 mm; angle-stable; stainless steel</b>		
2.163.20	Cancellous screw with conical head thread; Ø 6.0 x 20 mm; fully threaded; self tapping; stainless steel	4 047075 115495
2.163.22	Cancellous screw with conical head thread; Ø 6.0 x 22 mm; fully threaded; self tapping; stainless steel	4 047075 115501
2.163.24	Cancellous screw with conical head thread; Ø 6.0 x 24 mm; fully threaded; self tapping; stainless steel	4 047075 061969
2.163.26	Cancellous screw with conical head thread; Ø 6.0 x 26 mm; fully threaded; self tapping; stainless steel	4 047075 061976
2.163.28	Cancellous screw with conical head thread; Ø 6.0 x 28 mm; fully threaded; self tapping; stainless steel	4 047075 062119
2.163.30	Cancellous screw with conical head thread; Ø 6.0 x 30 mm; fully threaded; self tapping; stainless steel	4 047075 064229
2.163.32	Cancellous screw with conical head thread; Ø 6.0 x 32 mm; fully threaded; self tapping; stainless steel	4 047075 064236
2.163.34	Cancellous screw with conical head thread; Ø 6.0 x 34 mm; fully threaded; self tapping; stainless steel	4 047075 064366
2.163.35	Cancellous screw with conical head thread; Ø 6.0 x 35 mm; fully threaded; self tapping; stainless steel	4 047075 064250
2.163.36	Cancellous screw with conical head thread; Ø 6.0 x 36 mm; fully threaded; self tapping; stainless steel	4 047075 064267
2.163.38	Cancellous screw with conical head thread; Ø 6.0 x 38 mm; fully threaded; self tapping; stainless steel	4 047075 064274
2.163.40	Cancellous screw with conical head thread; Ø 6.0 x 40 mm; fully threaded; self tapping; stainless steel	4 047075 064168
2.163.42	Cancellous screw with conical head thread; Ø 6.0 x 42 mm; fully threaded; self tapping; stainless steel	4 047075 064304
2.163.44	Cancellous screw with conical head thread; Ø 6.0 x 44 mm; fully threaded; self tapping; stainless steel	4 047075 064182
2.163.45	Cancellous screw with conical head thread; Ø 6.0 x 45 mm; fully threaded; self tapping; stainless steel	4 047075 064199
2.163.46	Cancellous screw with conical head thread; Ø 6.0 x 46 mm; fully threaded; self tapping; stainless steel	4 047075 064205
2.163.48	Cancellous screw with conical head thread; Ø 6.0 x 48 mm; fully threaded; self tapping; stainless steel	4 047075 064212

# Cancellous screw

## angle-stable; stainless steel



Item no. 2.147.20



Item no. 2.163.45

Item no.	Item description	EAN
<b>Cancellous screw; Ø 6.0 mm; angle-stable; stainless steel</b>		
2.163.50	Cancellous screw with conical head thread; Ø 6.0 x 50 mm; fully threaded; self tapping; stainless steel	4 047075 064106
2.163.52	Cancellous screw with conical head thread; Ø 6.0 x 52 mm; fully threaded; self tapping; stainless steel	4 047075 064243
2.163.54	Cancellous screw with conical head thread; Ø 6.0 x 54 mm; fully threaded; self tapping; stainless steel	4 047075 064120
2.163.55	Cancellous screw with conical head thread; Ø 6.0 x 55 mm; fully threaded; self tapping; stainless steel	4 047075 064137
2.163.56	Cancellous screw with conical head thread; Ø 6.0 x 56 mm; fully threaded; self tapping; stainless steel	4 047075 064144
2.163.58	Cancellous screw with conical head thread; Ø 6.0 x 58 mm; fully threaded; self tapping; stainless steel	4 047075 064151
2.163.60	Cancellous screw with conical head thread; Ø 6.0 x 60 mm; fully threaded; self tapping; stainless steel	4 047075 064045
2.163.62	Cancellous screw with conical head thread; Ø 6.0 x 62 mm; fully threaded; self tapping; stainless steel	4 047075 064175
2.163.64	Cancellous screw with conical head thread; Ø 6.0 x 64 mm; fully threaded; self tapping; stainless steel	4 047075 064076
2.163.65	Cancellous screw with conical head thread; Ø 6.0 x 65 mm; fully threaded; self tapping; stainless steel	4 047075 064083
2.163.66	Cancellous screw with conical head thread; Ø 6.0 x 66 mm; fully threaded; self tapping; stainless steel	4 047075 064090
2.163.68	Cancellous screw with conical head thread; Ø 6.0 x 68 mm; fully threaded; self tapping; stainless steel	4 047075 063994
2.163.70	Cancellous screw with conical head thread; Ø 6.0 x 70 mm; fully threaded; self tapping; stainless steel	4 047075 067602
2.163.72	Cancellous screw with conical head thread; Ø 6.0 x 72 mm; fully threaded; self tapping; stainless steel	4 047075 067619
2.163.74	Cancellous screw with conical head thread; Ø 6.0 x 74 mm; fully threaded; self tapping; stainless steel	4 047075 067503
2.163.75	cancellous screw with conical head thread; Ø 6.0 x 75 mm; fully threaded; self tapping; stainless steel	4 047075 067510
2.163.76	Cancellous screw with conical head thread; Ø 6.0 x 76 mm; fully threaded; self tapping; stainless steel	4 047075 067527

# Cancellous screw

## angle-stable; stainless steel



Item no. 2.147.20



Item no. 2.163.45

Item no.	Item description	EAN
<b>Cancellous screw; Ø 6.0 mm; angle-stable; stainless steel</b>		
2.163.78	Cancellous screw with conical head thread; Ø 6.0 x 78 mm; fully threaded; self tapping; stainless steel	4 047075 067435
2.163.80	Cancellous screw with conical head thread; Ø 6.0 x 80 mm; fully threaded; self tapping; stainless steel	4 047075 067541
2.163.82	Cancellous screw with conical head thread; Ø 6.0 x 82 mm; fully threaded; self tapping; stainless steel	4 047075 067459
2.163.84	Cancellous screw with conical head thread; Ø 6.0 x 84 mm; fully threaded; self tapping; stainless steel	4 047075 071616
2.163.85	Cancellous screw with conical head thread; Ø 6.0 x 85 mm; fully threaded; self tapping; stainless steel	4 047075 071623
2.163.86	Cancellous screw with conical head thread; Ø 6.0 x 86 mm; fully threaded; self tapping; stainless steel	4 047075 071517
2.163.88	Cancellous screw with conical head thread; Ø 6.0 x 88 mm; fully threaded; self tapping; stainless steel	4 047075 071524
2.163.90	Cancellous screw with conical head thread; Ø 6.0 x 90 mm; fully threaded; self tapping; stainless steel	4 047075 071654
2.163.100	Cancellous screw with conical head thread; Ø 6.0 x 100 mm; fully threaded; self tapping; stainless steel	4 047075 064335
2.163.110	Cancellous screw with conical head thread; Ø 6.0 x 110 mm; fully threaded; self tapping; stainless steel	4 047075 064342